

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Toshiba	Logo		
Company name *	Toshiba Client Solutions Europe GmbH	TOOLIDA		
Contact information *	Hammfelddamm 8, 41460 Neuss	TOSHIBA		
e-mail address	email: environment@toshiba.eu			
Internet site *	http://eu.computers.toshiba-europe.com/innovation/generic/environment-home			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Tablet			
Commercial name *	PORTEGE X30T-E			
Model number *	PT17*			
Issue date *	* 2018/October/01			
Intended market *	et * Global 🖾 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	PT17*	Logo			
Issue date *		2018/October/01		TOS	HI	BA
	environ	mental attributes - Legal requirements				nt met
Item P1	Hazarda	ous substances and preparations		Ye	s No	n.a.
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).				
F 1.2		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
		pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach		,1-		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	aximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\square		
	terpheny	/I (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms	in the		
D4 of		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	_ / 2			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (al reference).),5 μg/cm ⁻ /	/week 🛛 🖂		
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		
	http://w	ww.toshiba.eu/innovation/generic/environment-greening-of-products/#Manag	ement-of-			
	Chemic					
P2	Batterie	-				
P2.1*		bduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the dispos	al 🛛		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
	referenc					
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
	teg.com	claration of Conformity can be requested at (add link or e-mail address): <i>https://epp</i>	os.tosniba	-		
P3.2*		// duct complies with the Eco design requirements for energy-related products,		\square		
		al reference).				
	Require	d information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL): http://www.toshiba.eu/Eco-De	sign			
P5		a packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmiu	m and 🛛 🕅		
P5.2*		ent chromium by weight of these together.	- 6 41 6			
P5.2		kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	or the mate		X	
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Me	ontreal 🔀		
	Protocol (see legal reference).					
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).		\triangleright		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	PT17*	Logo					
Issue dat	Issue date * 2018/October/01							
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)					
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P7	Design Disasse	mbly, recycling						
P7.1*		at have to be treated separately are easily separable		\square				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		Ē				
P7.3*		arts > 100 g consist of one material or of easily separable materials.		Ē	Ē	$\overline{\boxtimes}$		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ē	Π			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Π			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ē		
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square				
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes				
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10		s available after end of production for: See P15						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
P7.12			al type:					
P7.12 P7.13		n materials of external electrical cables are PVC free.				<u> </u>		
-		n materials of internal electrical cables are PVC free.			<u> </u>			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:							
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	omponents): , CAS #:			\boxtimes		
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 a					
		g ISO 1043-4: <i>FR(40)</i>	, 0	\boxtimes				
P7.18	<u>Alt. 1: </u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations in					
		ations above 0,1%:				\boxtimes		
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "						
		ical name: , CAS #: "						
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been		Π	\square		
	assigned	the following Risk phrases; and Hazard statements:			_	<u>ن</u>		
			ee note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				\boxtimes		
	a) Oft ape or	tt least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	nt (calculated as					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber * P	PT17*			Logo		
Issue date	date * 2018/October/11					TOSHIE	BA
Product	environme	ental attributes - Market	requirements (cont	inued)		Requiremer	nt met
Item							n.a.
P7.21*	Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):						
F7.21			•				
	a) Of tot of tota or	east one of the two alternati al plastic parts' weight > 25 al plastic by weight) is %. veight of the biobased plasti	g, the biobased plastic		ted as a perc	entage	
P7.22*	Light sourc	es are free from mercury, i. is used specify: Number of I	e. less than 0,1 mg/lamp	o. num mercury content per	lamp: r	mg 🗌	
P8	Batteries			, , , , , , , , , , , , , , , , , , ,	ł	5	
P8.1*	,	emical composition: Main ba					
P9		nsumption (See NOTE B8					
P9.1	•	duct the following power lev		•			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Standard for energy test method *	
Power_in_	Off	0.3W (category1&2)	0.3W (category1&2)	0.3 W (category1&2)	ENERGY S	STAR	
Power_in_	_Sleep	0.5 W (category1) 0.7W (category2)	0.5 W (category1) 0.7W (category2)	0.5 W (category1) 0.7 W (category2)	ENERGYS	STAR	
Power_in_	_Long_Idle	2.1W (category1&2)	2.1W (category1&2)	2.1W (category1&2)	ENERGY S	STAR	
Power_in_Short_Idle		5.5W (50&60HZ_W category1&60HZ_W category2) 5.4W (50HZ_W category2)	5.5W (category1&2)	5.5W (category1) 5.4W (category2)	ENERGY S	STAR	
Power in a	add. Short i	dle			ENERGYS	STAR	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)			0.02W	0.02W	EN 50563		
PTEC *		W	W	W			\boxtimes
Typical En ETEC *	ergy	(category1)	(category1)	(category1)	ENERGY	STAR Program	
Annual Energy Consumption		18.4kWh/year(50HZ) 18.5kWh/year (60HZ) (category2) 19kWh/year (50HZ) 19.2kWh/year (60HZ)	(category2) 19.3kWh/year	(category?) (category?) 19.1 kWh/year	Requireme	ents - Product ion for Computers	
		Efficiency Level (Internation	hal Efficiency Marking P	rotocol) * : VI			
Display res	solution * :	megapixels	megapixels				\square
Default tim	e to enter er	nergy save mode: AC mode	v save mode: AC mode: 10(to Display off), 15(to Sleep) minutes				
P9.2*	Information	about the energy save fun	ction is provided with the	e product.	1		
P9.3	Energy effi	ciency class (monitors only)	:				
P10	Emissions						
P10.1							
	Idle	* ISO7779 Idle		<i>L_{WA,c}</i> (B)			
	Operation	* ISO7779 Operatio	on-HDD				
	Other mod	-	hen ODD operates)				
	Other mod	e When cooling far	When cooling fan operates (Fan max.) * 3.9				
	Measured	according to: 🛛 ISO 7779	ECMA-74 (only if not covered b	I			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	PT17*			Logo		
Issue dat	e *	2018/October/	01			TOSHI	BA
Product	environ	mental attribut	es - Market requirements	(continued)		Requirem	ent me
ltem						Yes	No n.a
		magnetic emissi					
P10.4	Comput program		the requirement for low frequer	ncy electromagnetic field	s of the following volu	ntary	
P12		mics for comput	ing products				
P12.1*			gonomic requirements of ISO 9	241-307 for visual displa	av technologies.		
P12.2*			meets the requirements of ISC				
P13	1,2	ing and docume					
P13.1*	Product Product Product	packaging mater packaging mater packaging mater	ial type(s): <i>card board</i> weigl ial type(s): <i>EPE cushion</i> weigl ial type(s): <i>PP cloth bag</i> weigl	ht (kg): 0.372 ht (kg): 0.035 ht (kg): 0.003 ht (kg): 0.018			
P13.2*			ackaging is free from PVC.	(\square	
P13.3*		duct primary corr er recovered fibe	rugated fiberboard packaging, r content: 78 %	specify the contained	percentage of minimu		
P13.4*		media for user ar nic ⊠, Paper ⊠	nd product documentation (tick , Other	box):			
P13.5	Ùser an		s item if paper documentation entation on paper media is chlo			\boxtimes	
		chlorine-free tal chlorine-free				\square	
		sed chlorine-free					
P14	Volunta	ary programs					
P14.1	The pro	duct meets the re	quirements of the following vol	untary program(s):			
	ENERG	SY STAR®	Criteria version: 7.0	Date: 2018-9-28	Product category: 1	,2	
	Eco-lab	el:	Criteria version:	Date:	Product category:		
	Eco-lab	el:	Criteria version:	Date:	Product category:		
P15	Additio	nal information	See NOTE B10)				
P9	Energy	consumption of	computer products; descrip	tion of the tested prod	uct configuration:		
P7.10			on service agreement.		-		
P9	standar		mation published on The Ecc meeting ENERGY STAR species				
P10	Acoust	ic noise informa	tion published on The Eco Department			a model with sta	ndard
P7.14/ P7.16			e from magnesium. The proc			5g.	
P7.15/ P7.17	All ans	wers of the decla	aration are only for the tablet	and not include any o	ther bundled access	ories.	
P7.19	include	es R40 substance					ly
	Toshiba to warra	a provides this i anties for a parie	n this document is approxim nformation without warrantie cular purpose. Int that the content will be en	s of any kind neither e	xpressed nor implied	d including but no	
			t the time of completion, and				Jest 0

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EC (Low Voltage Directive)	P3.1
Directive 2014/30/EC (EMC Directive)	P3.1
Directive 2014/53/EC (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1